## Substitute for Form 1449/PTO

Sheet

## INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(use as many sheets as necessary)

of

2

Complete if Known				
Application Number	10/600,298			
Filing Date	June 20, 2003			
First Named Inventor:	Julian N. Nikolchev, et al.			
Art Unit	3772			
Examiner Name	Brown, Michael A.			
Attorney Docket Number	6701P002XC4			

<u> </u>		2 / / / / / / / / / / / / / / / / / / /	
		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Cite No <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T <sup>2</sup>
/M.B./		Jay Cooper & Richard Houck, "Ch. 33: Study Protocol, Criteria, and Complications of the Silicone Plug Procedure," Female Transcervical Sterilization (Gerald Zatuchni, M.D. et al., eds., Harper & Row 1983)	
		Jay M. Cooper, "Hysteroscopic Sterilization," Clinical Obstetrics and Gynecology, Vol. 35, No. 2 (June 1992)	
0,900,000,000,000,000,000,000,000,000,0		Leonard, Fred "Ch. 14: Polymer Implants," Female Sterilization (Ralph Richart et al., eds. 1972)	
000000000000000000000000000000000000000		Luukkainen, Tapani et al., "15: Five Years' Experience with the Nova-T and T-Cu IUDs," Intrauterine Contraception (Gerald Zatuchni et al., 1984)	
87.000000000000000000000000000000000000		Malinak, Russell, M.D. et al., "Oviduct Occlusion Following Implanation of Proplast," Advances in Female Sterilization Techniques (John Sciarra et al., eds. Harper & Row 1976)	
000000000000000000000000000000000000000		Manganiello, Paul D. <i>et. al.</i> , "A Bipolar Radiofrequency Catheter Fails to Occlude a Feline Uterine Horn: A Model for Fallopian Tube Occlusion, " The Journal of the American Association of Gynecologic Laparoscopists, Vol. 5, No. 3 (August 1998)	
000000000000000000000000000000000000000		Medical News, "Hysteroscope simplifies sterilization," J. of Am. Med. Assn., Vol. 225, No. 6 (Aug. 6, 1973)	
90 90 90 90 90 90 90 90 90 90 90 90 90 9		Neuwirth, Robert S. et al., "Hyesteroscopic Sterilization," Hysteroscopic Sterilization (John Sciarra et al. eds., 1974)	
000000000000000000000000000000000000000		Quinones, Rodolfo et al., "Tubal Electrocoagulation Under Hysteroscopic Control," Hysteroscopic Sterilization (John Sciarra et al., eds. 1973)	
90 90 90 90 90 90 90 90 90 90 90 90 90 9		Richard Houck & Jay Cooper, "Hysteroscopic Tubal Occlusion With Formed-InPlace Silicone Plugs: A Clinical Review," Obst. & Gyn., Vol. 62, No. 5 (Nov. 1983)	
V		Robert Neuwirth, Richard Levine, and Ralph Richart, "Hysteroscopic tubal sterilization," Am. J. of Obst. And Gyn., Vol. 116, No. 1 (May 1, 1973)	

Examiner	/Michael Drawn/	Date	07/47/0040
Signature	/Michael Brown/	Considered	07/17/2010

<sup>\*</sup>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

<sup>&</sup>lt;sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>Applicant is to place a check mark here if English Translation is attached.

This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SENT FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Substitute for Form 1449/PTO				Complete if Known			
INFORMATION DISCLOSURE				OSLIBE	Application Number	10/600,298	
					Filing Date	June 20, 2003	
STATEMENT BY APPLICANT (use as many sheets as necessary)					First Named Inventor:	Julian N. Nikolchev, et al.	
					Art Unit	3772	
					Examiner Name	Brown, Michael A.	
Sheet		2		2	Attorney Docket Number	6701P002XC4	
				NON PATENT LI	TERATURE DOCUMENTS		
Examiner Initials*	Cite No <sup>1</sup>			name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the n (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published			7
/M.B./		Schmitz-Rode, Thomas <i>et. al.</i> , "Experimental Nonsurgical Female Sterilization: Transcervical Implantation of Microspindles in Fallopian Tubes," Journal of Vascular and Interventional Radiology, Vol. 5, No. 6 (November-December 1994)					
Sciarra, John "26: Hyste			ı, John "2	6: Hysteroscopic	Approaches for Tubal Closur ., Vol. 34, No. 5 & 6 (1980)		
200000000000000000000000000000000000000				nu, "Hysteroscopio nn Sciarra et al., e	e Sterilization by Electrocoag ds., 1973	gulation," Hysteroscopic	
99999999					Of Clinically Useful Interact ph Richart et al., eds. 1972)	ions of Laser Radiation With	
10-00000000000000000000000000000000000				& Robert Erb, "Hy fol. 61, No. 3 (198	ysteroscopic Tubal Occlusion (3)	n With Silicone Rubber,"	
0,000,000,000,000,000		Thompson, Horace et al., "Evaluation of Experimental Methods of Occluding the Uterotubal Junction," Female Sterilization: Prognosis For Simplified Outpatient Procedures (Gordon Duncan et al, eds. 1972)					
000000000000000000000000000000000000000		First A	mended l	nvalidity Content	thern District, Case #09-cv-0 ions, January 22, 2010, 31 pa	iges.	
30000				urt California Nor ntions, January 4,	thern District, Case #09-cv-0 2010, 70 pages.	2280 WHA, Hologic Inc.'s	

Examiner	O. C. a. a. i. Phys. sec. 1	Date	
Signature	/Michael Brown/	Considered	07/17/2010

V. Rimkus & K. Semm, "Hysteroscopic Sterilization — a Routine Method?" Int'l. J.

Zipper, J. et al., "Supression of fertility by intrauterine copper and zine in rabbits," Am. J. of

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English Translation is attached. This collection of information is required by 37 CFR 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SENT FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO:**Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450.

Obstetrics and Gynecology (Oct. 15, 1969)

Fertility Vol. 22 (1977)

<sup>\*</sup>Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.